

ORDINANCE NO. 2016-A

**CASTLE ROCK TOWNSHIP
DAKOTA COUNTY, MINNESOTA**

**AN ORDINANCE AMENDING THE
CASTLE ROCK TOWNSHIP ZONING ORDINANCE**

The Board of Supervisors of the Town of Castle Rock ordains:

SECTION I Section 7.11 I. of the Castle Rock Township Zoning Ordinance regarding Subsurface Sewage Treatment Systems is hereby amended by adding the double underlined material as follows:

7.11 Subsurface Sewage Treatment Systems (SSTS)

I. Required septic tank sizing, system and tank regulations.

4. All new and replacement pump tanks shall have a capacity of not less than 1,000 gallons.

5. The addition of washed mound sand to a sand or coarse sand profile toward required vertical separation for a septic design classifies that system as a Standard Type I system, identical to a Standard Type I mound system classification.

6. Clean-out ends of pressure distribution pipes shall be below grade and enclosed in a protective box to allow access for maintenance. Placement of clean-out pipes must be measured from multiple benchmarks and detailed on the As-Built Record drawing.

SECTION II Incorporation of Amendments. The Town's staff is hereby authorized and directed to incorporate the amendments made by this Ordinance into the Castle Rock Township Zoning Ordinance and such updated version shall constitute the official Castle Rock Township Zoning Ordinance.

SECTION III Effective Date. This Ordinance shall be effective upon its passage and the first day of publication.

Adopted this 9th day of May, 2016.

BY THE TOWN BOARD

Sandy Weber
Sandy Weber, Chair

ATTEST:

Barbara Lang
Barbara Lang, Clerk

